

Message

From: Benton, Tim [Tim.Benton@WestonSolutions.com]
Sent: 11/23/2016 6:38:35 PM
To: Gaughan, Daniel [Gaughan.Daniel@epa.gov]
CC: Nwosu, Bernard [Ben.Nwosu@WestonSolutions.com]
Subject: RE: ERT-Ludlum 2241 3*3

Dan,
We can certainly obtain the Ludlum 2241 with the 3x3 probe from one of the vendors we are partnered with. However, on most of these rad projects we have been going with the Ludlum 2221 with the 2x2 probe? The cost of the rental of either of these units is relatively cheap as to rent the Ludlum 2221 with the 2x2 probe out at the Li Tungsten Site over the last month the rental rate was \$350.72 per month. Please let us know which direction you want us to go and we will proceed accordingly. Have a great holiday!

Thanks,

Tim

From: Gaughan, Daniel [mailto:Gaughan.Daniel@epa.gov]
Sent: Wednesday, November 23, 2016 1:00 PM
To: Nwosu, Bernard
Cc: Benton, Tim
Subject: Re: ERT-Ludlum 2241 3*3

Ben
Please look into renting the Ludlum 2241 with a 3x3 probe and let me know the cost associated with it.
Dan

Dan Gaughan
917-613-2153
gaughan.daniel@epa.gov

On Nov 23, 2016, at 12:34 PM, Nwosu, Bernard <Ben.Nwosu@WestonSolutions.com> wrote:

Dan, what is your final decision. Do you want us to rent the 3x3 so we can start searching for it.

Ben Nwosu
Senior Project Scientist / Group Leader
Weston Solutions, Inc.
RST3/ED2

Sent from my mobile device

Begin forwarded message:

From: "Kappelman, David" <Kappelman.David@epa.gov>
Date: November 23, 2016 at 10:32:40 AM EST
To: "Hoppe, Michael" <Hoppe.Michael@epa.gov>, "Daly, Eric" <Daly.Eric@epa.gov>, "Nguyen, Lyndsey" <Nguyen.Lyndsey@epa.gov>
Cc: "Gaughan, Daniel" <Gaughan.Daniel@epa.gov>,

"Ben.Nwosu@WestonSolutions.com" <Ben.Nwosu@WestonSolutions.com>

Subject: RE: ERT-Ludlum 2241 3*3

The part number is 44-20 for the probe only.

From: Hoppe, Michael

Sent: Wednesday, November 23, 2016 10:29 AM

To: Daly, Eric <Daly.Eric@epa.gov>; Nguyen, Lyndsey <Nguyen.Lyndsey@epa.gov>

Cc: Gaughan, Daniel <Gaughan.Daniel@epa.gov>; Ben.Nwosu@WestonSolutions.com;
Kappelman, David <Kappelman.David@epa.gov>

Subject: RE: ERT-Ludlum 2241 3*3

All,

What is the part number for the 3x3?

Thanks.

Mike

Michael Hoppe
Environmental Response Team
(908) 420-4472 (c)
(732) 906-6908 (o)



From: Daly, Eric

Sent: Wednesday, November 23, 2016 10:24 AM

To: Nguyen, Lyndsey <Nguyen.Lyndsey@epa.gov>

Cc: Gaughan, Daniel <Gaughan.Daniel@epa.gov>; Ben.Nwosu@WestonSolutions.com;
Hoppe, Michael <Hoppe.Michael@epa.gov>; Kappelman, David
<Kappelman.David@epa.gov>

Subject: Re: ERT-Ludlum 2241 3*3

My suggestion is to rent at this point unless Special Teams comes up with definite solution and known shipping date. We use the 3x3 constantly on the three sites and we will be working all that week.

Regards,

Eric

"We must, indeed, all hang together, or assuredly we shall all hang separately",

Benjamin Franklin

Eric M. Daly

On-Scene Coordinator/Radiological Response Specialist

US Environmental Protection Agency- Region II

ERRD/RPB/PPS
2890 Woodbridge Avenue
Edison, NJ 08837
daly.eric@epa.gov
908-420-1707

On Nov 23, 2016, at 10:02 AM, Nguyen, Lyndsey <Nguyen.Lyndsey@epa.gov> wrote:

I'll reach out to RERT, as well. VIPER is an EPA/ERT product. In the rad world, we are trying to move away from VIPER to the new RSX system. I believe RERT has a new buggy setup with their RSX system. If Dave can't come out, I could always see if RERT is available. Also, I could always leave Eric's site for a week, if Dave will let me operate his system. Also, Eric, I don't know if we would be using our 3x3 for that week unless we start removal of area 7? Maybe Dan could use it for the week? Just some thoughts. I'll reach out but folks are probably away from their desks this week.

-Lynds

Sent from my iPhone

On Nov 23, 2016, at 6:45 AM, Gaughan, Daniel
<Gaughan.Daniel@epa.gov> wrote:

Ben and Mike,
I cannot get a Ludlum 2241 3x3 from ERT. We need to look into other suppliers. I don't know of any. Do either of you?

Also, if we rent one will it be VIPER compatible?

Dan

Dan Gaughan
917-613-2153
gaughan.daniel@epa.gov

Begin forwarded message:

From: "Kappelman, David"
<Kappelman.David@epa.gov>
Date: November 23, 2016 at 9:33:28
AM EST
To: "Daly, Eric" <Daly.Eric@epa.gov>,
"Gaughan, Daniel"

<Gaughan.Daniel@epa.gov>, "Nguyen,
Lyndsey" <Nguyen.Lyndsey@epa.gov>
Subject: RE: ERT-Ludlum 2241 3*3

Eric,
He should plan on getting one from
another source. We gave some issues
with the other 3x3s that are VIPER
compatible. I still have several 2241-3s
with 2x2 Nal detectors, but they are not
VIPER compatible. I would recommend
the RSI 4"x4"x16" system mounted on
the UTV If Dan needs help with
mapping. This system works much
better than the VIPER systems in my
opinion.

Dave Kappelman
513-240-6840

From: Daly, Eric
Sent: Tuesday, November 22, 2016 3:16
PM
To: Gaughan, Daniel
<Gaughan.Daniel@epa.gov>; Nguyen,
Lyndsey <Nguyen.Lyndsey@epa.gov>;
Kappelman, David
<Kappelman.David@epa.gov>
Subject: Re: ERT-Ludlum 2241 3*3

Hi Dave.

How are you? Will Dan be able to get an
ERT-Ludlum 2241 3*3? He just needs to
plan accordingly. Thanks. Happy
Thanksgiving to all!!

Regards,

Eric

"We must, indeed, all hang together, or
assuredly we shall all hang separately",
Benjamin Franklin
Eric M. Daly
On-Scene Coordinator/Radiological
Response Specialist
US Environmental Protection Agency-
Region II
ERRD/RPB/PPS
2890 Woodbridge Avenue

Edison, NJ 08837
daly.eric@epa.gov
908-420-1707

On Nov 17, 2016, at 2:40 PM, Daly, Eric
<Daly.Eric@epa.gov> wrote:

Hi Dave:

I know we spoke about
this before but can
Region 02 borrow one
of your Ludlum 2241
3*3 units. From last you
and I spoke, the two
units are back from
Region 09. Dan
Gaughan is in need of a
3*3 unit for his
Canadian Radium Site
in Mount Kisco by
December 7th.

Please let us know.

Thanks

Regards,

Eric M. Daly
On-Scene
Coordinator/Radiologic
al Response Specialist
US Environmental
Protection Agency-
Region II
ERRD/RPB/PPS
2890 Woodbridge
Avenue
Edison, NJ 08837
daly.eric@epa.gov
908-420-1707

"We must, indeed, all
hang together, or
assuredly we shall all
hang separately",
Benjamin Franklin

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.